

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	101	((k with nearest with neighbor) and ((add\$3 or delet\$3 or remov\$3 or replac\$3) same (cluster or categor\$5 or group\$3)) and (@ad<"20010627"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/11 22:08
L2	2	((k with nearest with neighbor) and ((add\$3 or delet\$3 or remov\$3 or replac\$3) same (cluster or categor\$5 or group\$3)) and ((precision or recall) with (curve or graph\$5)) and (@ad<"20010627"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/11 22:08
S1	68	((precision or recall) with (curve or graph\$5)).ti,ab. and (@ad<"20010627"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 14:33
S2	0	((precision or recall) with (curve or graph\$5)).ti,ab. and (@ad<"20010627") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 14:34
S3	2795	((precision or recall) with (curve or graph\$5)) and (@ad<"20010627"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 14:34
S4	64	((precision or recall) with (curve or graph\$5)) and (@ad<"20010627") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 16:01
S5	21	((precision or recall) with (curve or graph\$5)) and (@ad<"20010627") and "707"/\$.ccls. and ((add\$7 or delet\$3 or remov\$3) with document)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 16:07
S6	8	((precision or recall) with (curve or graph\$5)) and (@ad<"20010627") and "707"/\$.ccls. and (training with set)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 18:39
S7	5	((precision or recall) with (curve or graph\$5)) and (@ad<"20010627") and "707"/\$.ccls. and neighbor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 16:03
S8	13	((precision or recall) with (curve or graph\$5)) and (@ad<"20010627") and "707"/\$.ccls. and (((add\$7 or delet\$3 or remov\$3) with document) same (categor\$5 or group\$5 or cluster\$3 or class))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 16:07
S9	7	((precision or recall) with (curve or graph\$5)) and (@ad<"20010627") and "707"/\$.ccls. and (training with set) and (group\$3 or cluster\$3 or categor\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 18:50

S10	36	(k with nearest with neighbor with (search\$3 or quer\$5 or retriev\$3)) and (@ad<"20010627")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/11/20 18:52
S11	11	(k with nearest with neighbor with (search\$3 or quer\$5 or retriev\$3)) and (@ad<"20010627") and ((add\$3 or delet\$3 or remov\$3 or replac\$3) same (cluster or categor\$5 or group\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/11 22:06